

DAFTAR PUSTAKA

- [1] N. Mukhayat, W. P. Ciptadi, and R. H. Hardyanto, “Sistem Monitoring pH Tanah , Intensitas Cahaya Dan Kelembaban Pada Tanaman Cabai (Smart Garden) Berbasis IoT,” *Seri Pros. Semin. Nas. Din. Inform.*, vol. 5, no, pp. 179–184, 2021.
- [2] D. R. Amalia and W. Ziaulhaq, “Pelaksanaan Budidaya Cabai Rawit sebagai Kebutuhan Pangan Masyarakat Implementation of Cayenne Pepper Cultivation as Community Food Needs,” *IJAEA Indones. J. Agric. Environ. Anal.*, vol. 1, no. 1, pp. 27–36, 2022.
- [3] I. Surya Ramadhan, M. Martias, R. Sastra, and M. Iqbal, “Alat Penyiram Tanaman Otomatis Berbasis Arduino Uno Dan NodeMCU,” *Insantek*, vol. 4, no. 1, pp. 12–17, 2023, doi: 10.31294/instk.v4i1.2021.
- [4] K. Anam and A. F. Rodli, “Automatic Water Level Control Tandon Air Berbasis Arduino Uno,” *BIOS J. Teknol. Inf. dan Rekayasa Komput.*, vol. 3, no. 1, pp. 17–22, 2022, doi: 10.37148/bios.v3i1.38.
- [5] S. Dwiyatno, E. Krisnaningsih, D. Ryan Hidayat, and Sulistiyono, “S Smart Agriculture Monitoring Penyiraman Tanaman Berbasis Internet of Things,” *PROSISKO J. Pengemb. Ris. dan Obs. Sist. Komput.*, vol. 9, no. 1, pp. 38–43, 2022, doi: 10.30656/prosisko.v9i1.4669.
- [6] M. Noer, “The Integrated Farming System of Crop and Livestock: A Review of Rice and Cattle Integration Farming,” *Int. J. Sci. Basic Appl. Res. Int. J. Sci. Basic Appl. Res.*, vol. 42, no. 3, pp. 68–82, 2018, [Online]. Available: <http://gssrr.org/index.php?journal=JournalOfBasicAndApplied>
- [7] R. Hamdani, Y. Agussationo, and M. Isnen, “Optimalisasi Sistem Kontrol Pompa Pengisian Air Pada Gedung Graha Dayaguna PT.JIEP,” *J. Elektron. List. dan Teknol. Inf. Terap.*, vol. 2, no. 2, 2021, doi: 10.37338/e.v2i2.150.
- [8] N. F. Indra Dharma Wijaya, Rudy Ariyanto, “Implementasi IoT Pada Sistem Penyiraman Otomatis Tanaman Cabai Berbasis Raspberry Pi Dengan Metode Fuzzy Logic,” *Inform. Polinema*, vol. 5, pp. 177–182, 2019.

- [9] P. Denanta, B. Perteka, N. Piarsa, and K. S. Wibawa, "Sistem Kontrol dan Monitoring Tanaman Hidroponik Aeroponik Berbasis Internet of Things."
- [10] "Apa itu Web Server dan Fungsinya? - Dicoding Blog." <https://www.dicoding.com/blog/apa-itu-web-server-dan-fungsinya/> (accessed Aug. 06, 2023).
- [11] "ESP32 Series Datasheet 2.4 GHz Wi-Fi + Bluetooth[®] + Bluetooth LE SoC Including," 2023. [Online]. Available: www.espressif.com
- [12] A. Galih Mardika and R. Kartadie, "MENGATUR KELEMBABAN TANAH MENGGUNAKAN SENSOR KELEMBABAN TANAH YL-69 BERBASIS ARDUINO PADA MEDIA TANAM POHON GAHARU."
- [13] "Water Pump Data Sheet." https://education.ti.com/html/webhelp/EG_Innovator/EN/content/eg_innovsys/m_io-datasheets/io_ds_waterpump.HTML (accessed Aug. 04, 2023).
- [14] "5V Four-Channel Relay Module - Pin Diagram, Specifications, Applications, Working." <https://components101.com/switches/5v-four-channel-relay-module-pinout-features-applications-working-datasheet> (accessed Aug. 04, 2023).
- [15] A. H. Zaidan, M. K. Wail, and A. A. Yaseen, "Improving the Efficiency of the Wireless Robotic Hand by Controlling Sensory Variables," *AIP Conf Proc*, vol. 2398, pp. 0–16, 2022, doi: 10.1063/5.0093385.

LAMPIRAN A

1. Listing Program Arduino

```
#include <WiFi.h>
#include <ESPAsyncWebServer.h>
#include <SPIFFS.h>
#define SOIL_MOISTURE_PIN 35
#define PUMP_PIN 32
int p_atas = 2;
int p_bawah = 4;
int solenoid = 15;

const char* ssid = "CK";
const char* password = "ibucantik";

AsyncWebServer server(80);

#define bb_soil 60 // batas bawah
#define ba_soil 70 // batas atas

int hasil_soil = 0;
String soilMoisture() {
    int val = analogRead(SOIL_MOISTURE_PIN);
    hasil_soil = map(val, 4095, 1100, 0, 100);
    hasil_soil = constrain(hasil_soil, 0, 100);
    // Serial.print("soil\t");
    // Serial.print(val);
    // Serial.print("\t");
    // Serial.println(hasil_soil);
    return String(hasil_soil);
}

void setup() {
    Serial.begin(9600);
    pinMode(PUMP_PIN, OUTPUT);
    pinMode(SOIL_MOISTURE_PIN, INPUT);
    pinMode(p_atas, INPUT_PULLUP);
    pinMode(p_bawah, INPUT_PULLUP);
    pinMode(solenoid, OUTPUT);
    digitalWrite(solenoid, LOW);
    delay(3000);
```

```

if (!SPIFFS.begin()) {
  Serial.println("An Error has occurred while mounting SPIFFS");
  return;
}
WiFi.begin(ssid, password);
while (WiFi.status() != WL_CONNECTED) {
  delay(1000);
  Serial.println("Connecting to WiFi..");
}
Serial.println(WiFi.localIP());

server.on("/", HTTP_GET, [](AsyncWebServerRequest * request) {
  request->send(SPIFFS, "/index.html");
});

server.on("/soilmoisture", HTTP_GET, [](AsyncWebServerRequest * request)
{
  request->send_P(200, "text/plain", soilMoisture().c_str());
});
server.on("/pumpstatus", HTTP_GET, [](AsyncWebServerRequest * request)
{
  if (digitalRead(PUMP_PIN)) {
    request->send_P(200, "text/plain", "Pump is OFF");
  } else {
    request->send_P(200, "text/plain", "Pump is ON");
  }
});
server.on("/solenoidstatus", HTTP_GET, [](AsyncWebServerRequest *
request) {
  if (digitalRead(solenoid)) {
    request->send_P(200, "text/plain", "Solenoid is OFF");
  } else {
    request->send_P(200, "text/plain", "Solenoid is ON");
  }
});
server.on("/sumptankstatus", HTTP_GET, [](AsyncWebServerRequest *
request) {
  if (digitalRead(solenoid)) {
    request->send_P(200, "text/plain", "Sump Tank is HIGH");
  } else {
    request->send_P(200, "text/plain", "Sump Tank is LOW");
  }
}

```

```

    });
    server.begin();
}

void loop() {
    int sm = soilMoisture().toInt();
    if (sm <= bb_soil) {
        digitalWrite(PUMP_PIN, LOW);
    } else if (sm >= ba_soil) {
        digitalWrite(PUMP_PIN, HIGH);
    }

    Serial.print(digitalRead(p_atas));
    Serial.print("\t");
    Serial.println(digitalRead(p_bawah));
    if (digitalRead(p_atas) == LOW && digitalRead(p_bawah) == LOW) {
        digitalWrite(solenoid, LOW);
    }
    else if (digitalRead(p_atas) == HIGH && digitalRead(p_bawah) == HIGH) {
        digitalWrite(solenoid, HIGH);
    }
}

```

2. Listing program VSCode

```

<!DOCTYPE HTML>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<script src="https://code.highcharts.com/highcharts.js"></script>
<script src="https://code.highcharts.com/modules/accessibility.js"></script>

<style>
body {
    min-width: 310px;
    max-width: 800px;
    height: 400px;
    margin: 0 auto;
}
h2 {
    font-family: Arial;
    font-size: 2.5rem;

```

```

    text-align: center;
  }
  table {
    width: 100%;
    border-collapse: collapse;
    table-layout: fixed;
  }
  th, td {
    border: 1px solid black;
    padding: 8px;
    text-align: center;
    overflow: hidden;
    white-space: nowrap;
    text-overflow: ellipsis;
  }
  th {
    background-color: #f2f2f2;
  }
  td {
    min-width: 310px;
    height: 100px;
    margin: 0 auto;
  }
</style>
</head>
<body>
<h2>ESP Soil Moisture Monitoring</h2>
<div id="chart-moisture" class="container"></div>
<table>
  <tr>
    <th>Nilai Kelembaban</th>
    <th>Status Pompa</th>
    <th>Status Solenoid</th>
    <th>Status Sump Tank</th>
  </tr>
  <tr>
    <td id="moisture"></td>
    <td id="pumpstatus"></td>
    <td id="solenoidstatus"></td>
    <td id="sumptankstatus"></td>
  </tr>
</table>

```

```

<script>
var chartM = new Highcharts.Chart({
  chart: { renderTo: 'chart-moisture' },
  title: { text: 'Soil Moisture' },
  time: {
    useUTC: false
  },
  series: [{
    showInLegend: false,
    data: []
  }],
  plotOptions: {
    line: {
      animation: false,
      dataLabels: { enabled: true }
    },
    series: { color: '#18009c' }
  },
  xAxis: {
    type: 'datetime',
    dateTimeLabelFormats: { second: '%H:%M:%S' }
  },
  yAxis: {
    title: { text: 'Moisture Level' }
  },
  credits: { enabled: false }
});

setInterval(function () {
  var xhttp = new XMLHttpRequest();
  xhttp.onreadystatechange = function() {
    if (this.readyState == 4 && this.status == 200) {
      var x = (new Date()).getTime(),
          y = parseFloat(this.responseText);
      document.getElementById("moisture").innerHTML = this.responseText;
      if(chartM.series[0].data.length > 40) {
        chartM.series[0].addPoint([x, y], true, true, true);
      } else {
        chartM.series[0].addPoint([x, y], true, false, true);
      }
    }
  }
};

```

```

//ambil data kelembaban dari esp
xhttp.open("GET", "/soilmoisture", true);
xhttp.send();

//ambil data pompa dari esp
xhttp = new XMLHttpRequest();
xhttp.onreadystatechange = function() {
    if (this.readyState == 4 && this.status == 200) {
        document.getElementById("pumpstatus").innerHTML =
this.responseText;
    }
};
xhttp.open("GET", "/pumpstatus", true);
xhttp.send();

//ambil data solenoid dari esp
xhttp = new XMLHttpRequest();
xhttp.onreadystatechange = function() {
    if (this.readyState == 4 && this.status == 200) {
        document.getElementById("solenoidstatus").innerHTML =
this.responseText;
    }
};
xhttp.open("GET", "/solenoidstatus", true);
xhttp.send();

//ambil data SUMPTANK dari esp
xhttp = new XMLHttpRequest();
xhttp.onreadystatechange = function() {
    if (this.readyState == 4 && this.status == 200) {
        document.getElementById("sumptankstatus").innerHTML =
this.responseText;
    }
};
xhttp.open("GET", "/sumptankstatus", true);
xhttp.send();

}, 1000);
</script>
</body>
</html>

```


LAMPIRAN B
Hasil Alat



Box Modul



Tangki Penampungan Air



1 Agustus 2023



30 Agustus 2023

BIODATA PENULIS



Nama : Zaenul Atqia Al Akmal
NIM : 200201060
Tempat/Tanggal Lahir : Cilacap, 5 September 2002
Alamat : Jalan Kepudang, RT 06 RW 05
Sumingkir, Jeruklegi, Cilacap
Email : zainulatqia@gmail.com
Telepon//Hp : 085385415568
Hobi : Fotografi Wild Life
Motto : Never say you can't

Riwayat Pendidikan

- SD Negeri Sumingkir 02 Tahun 2008 – 2014
- SMP Negeri 1 Jeruklegi Tahun 2014 – 2017
- SMK Negeri 2 Cilacap Tahun 2017 – 2020
Jurusan Teknik Pembangkit
- Politeknik Negeri Cilacap Tahun 2020 – 2023
Prodi D3 Teknik Elektronika

Penulis telah mengikuti sidang akhir pada tanggal 14 Agustus 2023 sebagai salah satu persyaratan untuk memperoleh gelar Ahli Madya (A.Md)